- 340-271. Cumming, R., Barton, G., Fahey, P., Wilson, A. Cardiovascular disease-related knowledge and attitudes in a high-risk Australian population Med. J. Must. 1989 Way 15; 150(10):551-3, 556-8.+
- 340-272. Cummings, K., Markello, S., Mahoney, M., and Marshall, J. 1989. Measurement of lifetime exposure to passive shoke. An. J. Epidemios. 130(1):122-332.+
- 340-273. Cummings, K., Markello, S., Mahoney, M., Shargava, A., McElroy, P., and Marshall, J. 1990. Measurement of current exposure to environmental tobacco smoke. Arch. Environ. Health 45(2):74-79.+ 2-3
- 340-274. Qummings, Michael K. Workplace Exposure to Environmental Tobacco Smoke (ETS).*
- 340-275. Cummings, Michael E. Statement to the U.S. HPR Science Advisory Board on "Environmental Tobacco Smoke Review" Dec.
- 340-276. Cummings, R. and Leeder, S. 1927. Smoking and passive smoking [Editorial]. Must. Fam. Physician 16(3)+543.
- for biochemical validation of smoking status. Am. 1. Public Health 78:574-575.
- 340-278. Cummings, K.M., Saki, A., Markello, S. Variation in sesitivity to environmental tobacco smoke abony adult nonsmokers. [Abstract].
- 340-279. Qunningham, Joan, D. Dockery, and T. Speiser. Maternal smoking during Pregnancy as a Fredrictor of Lung Function in thildren. Amer. J. of Epidemio. Vol. 139, No. 12.
- 340-280. Curyall, M. et. al. Materials and methods.
- -340-281. Curvall, M., Elwin, C.E., Vala, E. et al. The pharmacokinetics of cotinine in plasma and saliva from non-smoking healthy volunteers. Eur J Clin Pharmacol (1990) 38:281-287. 8-73
- v340-282. Curvall, M. and Ensell, C. 1986. Monitoring absorption by means of determination of nicotine and ectinine. Arch. Toxicol. Suppl. 9:88-102. R. 7/

- 340-283. Curvall, Margaret, M. Vala, C. Ensell, and J. Wahren.
 simulation and evaluation of hicotine intake during passive smoking: Cotinize measurements in body fluids of notional of passive given intravenous infusions of nigotine. Clin Pharmacol Ther 1990;47:42-9.)
- 340-284. Diffonchio, Luisa, A. Mernandes, G. Melillo, G. Clavenna, and C. Cmini Affectiveness of levodropropising against cigarette smoke-induced airway hyperractivity: possible mechanism. Euro J. Pharma, 228 (1983) 257-261.
- 340-285. Daisey, J., Gadgil, A. and Hodgson A. Model estimates of the contribution of environmental tobacco smake to volatile organic compound exposures in office buildings.
- √340-286. Dalager, M., Williams-Pickle, L., Mason, T., Correa, P., Fontham, E., Stembagen, A., Buffler, P., Siegler, R., and 8-78
- 340-287. Darby, Thomas, J. Romance and J. van Bossum. Cigarette smoking Pharmacokinets and its Relation to Smoking Behavior, clin Pharma 9:435-440 (1984).
- 1340-288. Davis, James and L. Shelton. Passive Smoking Affects Endothelium and Platelets. Arch Intern Ned., Vol.149, Feb. 1990.1999 8-80
- 340-289. Fraument, Jr. J. 1986. The relation of pessive amoking to lung cancer. Cancer Res. 46(9):4808-4811.
- 340-290. Danuser, B., Weber, A., Hartmann, A., Krueger, H. Hifects of a bronchoprovocation challenge test with cigarette sidestress sucke on consitive and healthy aguits. Chest 103(2):393-58.
- 340-291. Darby, S. and Pike, M. 1988. Lung cancer and passive spoking: Predicted effects from a mathematical model for cigarette smoking and lung cancer. Br. 3. Cancer 38 (\$1:825-831.
- 340-292 @Davie, R. and Butler, N. 1972. From Birth to Seven. The Second Report of the National Child Development Survey, London, Longmans.
- 340-293. Davis R. and Hovotny, T. Changes In Risk Factor. The epidemiology of cigrette smoking and its impact on chronic obstructive pulmonary disease.

1 1 1 1 1

- √340-294. Davis, R.A., Stiles, M.F. et al. Dietary micotine: a source of urinary cotinine. Fd Chem Toxic., Vol. 29, No.12, pp.821-827, 1991. 8-8/
- √340-295. Davis, J., Shelton, L. et al. Passive smoking affects endothelium and platelets. Arch Intern Med-Vol. 149, Feb. 1989. 8-30
- 340-296. Pavis, R. 1989. Proposition 65: Nore warning about the risks of tobacco. (Letter). Jana 262(12):1632-1612.
- 340-297. Davis, R., Boyd, G., Schoenborn, C., 'Common courtesy' and the elimination of passive smoking. Results of the 1987:
 National Health Interview Survey [published erratum appears in JANA 1990 June 13; 263(22):3025]. Source: JANA 1990 Apr. 25; 263(16):2208-10. Ex. 76
- J340-298. Davis, J., Shelton, L., Watanzbe, I., and Arnold, J. 1989. Passive smoking affects endothelium and platelets. Arch Intern. Med. 149(2):386-389. 3-80
- 340-299. Dawley, H., Jr. 1987. The control, discouragement, and cossetion of emoking in a hospital setting. Int. J. addict. 28 (5):477-485.
- 340-300. Dawley, Linda, H. Dawley, R. Glasgow, J. Rice, and P. Corres. Worksite Smoking Control, Disconveyement, and Cossilion.

 Lat'l J of the Addictions, 28 (8), 719-733, 1993.
- 340-301. Dawson, G. W., and R.E. Vestal. Smoking and Drug Metabolism, Pharma Ther. Vol.15, pp 287-221, 1982.
- 340-302) Bayal, H. Wilkinson, G. Epidemiology of renal cell dancer. Semin Urol 1985 Aug; 7(3) \$139-45.
- 340-303. Dayal, Hari H., S. Khuder, R. Sharras, and M. Trieff.
 Hassive Smoking in Obstructive Respiratory Diseases in an Industrialised Urban Population. Environ Rech 65, 161-171 (1994).
- 340-304. Decarli, A., La Vecchia, C. Environmental factors and cancer nortality in Italy: correlational exercise. Oncology 1986; 43(2):116-26.
- 340-305. Decision Maker's Guide to Reducing smoking at the Worksite, a Report to Office of Disease Prevention & Health Propotion and Office on Smoking and Health, Public Health Services, U.S. Dept. of Health Human Services 1985.

- 340-306. Deitch, C., A. Colavita, L. Lasner, S. Murthy. Passive Smoking and Nicotine may be Immunosuppressive in Experimental Murine Colities Gastro., Vol. 204, No. 4, Papt 3.
- 340-307. Delclos, G., Wilson, K., and Bradley, B. Influence of smoking on radiographic profusion and preural changes in asbestos-exposed subjects. J. Orgup. Med./Vol. 32 No.7/July 1990.
- 340-308. De Graaf, J., Swinkels, D., De Haan, A., Demacker, P., et al. Hoth inherited susceptibility and environmental exposure determine the low-density lipoprotein-subfraction pattern distribution in healthy Dutch families. An. J. Hum. Genet 1992 Dec; 51(4):1295-310.
- √340-309. Delfino, R.L., P. Ernst, M. Jaakkols, D. Dolomon, and M. Becklake. Questionnaire assessments of recent exposure to environmental tobacco smoke in relation to salivary cotinine. Eur Respir J. 1993, 6, 1104-1108. ||-|39
- √340-310. De Schepper, P., A. Van Hecken, P. Daenens, and J.M. Van Rossum. Kinetics of cotinine after oral and intravenous administration to man. Eur J Clin Pharmacol (1987) 31:583-588. 8-82
- 340-311. Deutsch, Joseph, Hegedus, L., Greig, M. et al. Electronimpact and chemical ionisation detection of nicotine and cotinine by gas chromatography mass spectrometry in rat plasma and brain Journal of Chromatography, \$79(1992)93-98.
- 340-312. Dewey, M. 1985. Smoke in the Workplace. An Action Manual for Monsmokers. Monsmokers Rights Association, Smoking and Health Action Foundation, Toronto.
- 340-313. De verdier Maria Gerhardsson, M. Plato, G. Steineck, and J. Peters. Articles. Occupational Exposures and Cancer of the Colon and Rectum. Amer J. Indus Wed. 22:291-302 (2992).
- 340-314. Digiusto, 2. 1987. A workplace smoking cessation program.

 A strategy with potential for mass application. Community
 Health Stud. 11(1 Suppl):45s-52s.
- 340-315. Digiusto, E. and Eckhard, I. 1986. Some properties of salive cotinine measurements in indicating exposure to tobacco smoking. Am. J. Public Realth 76(10):1245-1246.

115

1 1

- 340-316. Consumer and Considerations for monitoring exposure to environmental tobacco smoke. Proceedings of the ASHRAE Conference: IAQ'86, Managing Indoor Air for Health and Energy Conservation, April 20-23, 2986, Etlanta, Georgia, American Society of Meating, Refrigerating and Air-Conditioning Engineers, Inc., Pp. 89-97.
- 240-317. *Dobson, A., Alexander, H., Heller, R., Lleyd, D. 1991. Passive smoking and the risk of heart attack or coronary death. Ned. J. Australia 154:793-797. 8-85
- -340-318. Dobson, A., Alexander, H., Heller, R. et al. Passive smoking and the risk of heart attack or coronary death. Ned J of Australia, Vol.154/June 1991. 8-85
- 340-319. Doebbeling, B., Wenzel, R. The epidemiology of Legionella pneumophila infections. Semin Respir. Infect 1967 Dec. 1(4):206-21.
- v340-320. Dockery, Douglas W., A. Pope, X. Xu, J. Spengler, J., et. al. Ex. An Association Between Air Pollution and Mortality in Six U.S. Cities. New England J. Med. Vol.329, No.24, De. 1993. 254
- 340-321. Doll, R. 1977. Introduction. In: Origins of Human Cancer.

 Book A: Incidence of Cancer in Humans. Hight, H., Watson,
 J., and Winsten, J., eds. Cold Spring Harbor Conferences on
 cell Proliferation, Vol. 4. Cold Spring Harbor Laboratory,
 p. 1-12.
- 340-322. Doil, R. 1986a: Lung Cancer: Observed and expected changes in incidence from active and passive smoking. Abstracts of Lectures, Symposia, and Free Communications, 14th International Cancer Congress, Verume 1. Budapest, Hungary. Pg. 321.
- 340-323. poll, p. 1986b. Pobacco: An overview of health effects.
- 340-324. Domino, Edward, E. hormbach, and T. Demana. The Nicotine Content of Common Vegetables. Vol. 329, No. 4.
- 340-325. Donham, R., Haglind, P., Peterson, Ya, Rylander, R. Environmental and health studies in swine continement buildings. Am. J. Ind. Med. 1986; 10(3):289-93.

2046395630

1.1

- 340-326. Donnell, H., Jr., Bagby, J., Harmon, R., Crellin, J., Chaski, H., Bright M., Van Tuinen, M., and Metzger, R. 1989.
 Report of an illness outbreak at the Harry S. Truman State
 Office Building. Am. J. Epidemiol. 129(3):550-558. 2-87
- 340-327. Doolottle, D.J., C. Lee, J. Ivett, et, al. Comparative studies on the Genotoxic activity of Mainstream stoke condensate from Organettes which Burn or Only Heat Tobacco. Inviron Nol. Mutagenesis 18493-105 (1990).
- 340-328. Doolittle, D., Lee, C., Burger, G., and Hayes, A. 1989.
 Comparative studies on the genotoxic potential of sidestream smoke from cigarettes which burn or only heat tobacco.l Environ. Nol. Mutagen 14(Suppl 15):52.
- 340-329. Deolittle, David J., S. MoMerns, P. Ayres, and D. Bombick.
 Molecular Approaches for quantifying DMA Systhesis and Cell
 Proliferation During Rodent Bioassays. Toxico Metheds,
 Vol. 1, No. 4, pp. 215-230, 1992.
- 340-330. Doyle, A., Rand, M., Powell, L. et al. The Australian Tobacco Research Foundation. [Setter Feb. 1988, Yol. Red. J. Australia.
- 340-331. Drescher, K., Timm, J. J:ockel, K. The design of casecontrol studies: the effect of confounding on sample size requirements. Stat. Ned. 1990 Jul: 9(7):765-76.
- 340-332. Drosds, M., Streelcsak, E., and Jendrycsko, A. 1988.

 [Smoking and passive smoking during pregnancy and after labor: their effects on birth weight, duration of lactation and cotinine level in mother's milk and its urinary excretion by the infant.] Ginekol. Pol. 59(9):528-533. (In Polish). 8-92
- 340-333. Drucker, D.B., and N.K. Sayers. Sudden infant death syndrome: a microbial aetiology. Biomed Letters 48:255-267, 1993.
- 340-334. Du, 1991 14921:76-8, 126 The Effects of Passive Smoking on Health
- /340-335. Duan, M.J., Yu, L., Savanapridi, C. et al. Disposition kinetics and metabolism of nicotine-1'-W-oxide in rabbits. Vol. 19, No.3. American Society for Pharmacology and Experimental Therapeutics. Jan. 1991.

ATTACHMENT IX

- us40-336. Dubois, J.P., Sicufi, A., Muller, D. et al. Pharmacokinetics and bicavailability of nicotine in healthy volunteers following single and repeated administration of different doses of transdermal nicotine systems. Meth and Find Exp Clin Pharmacol 1989; 11(3):187-195.
- 340-337. Duc, Trinh Vu, and Cong K. Huynh. Deposition Rates if sidestran Tobacco Smoke Particles in an Experimental Chamber. Toxic. Ltrs. 25 (1987) 59-65.
- 340-338. Dac, Trich Vu & Cong Ruynh. Exposure to involuntary smoking in local indoor air. sos. Preventivned 31 (4-3):248-246, 1986.
- 340-339. Duell, P., Bierman, E. The relationship between sex hormones and high-density lipoprotein cholesterol levels in healthy adult men. Arch Intern Med. 1990 Nov; 180(11):2317-20.
- -340-340. Eatough, Delbert J. Assessing Exposure to Environmental Tobacco Smoke. 1993, pp.42-63.
- 340-341. Eatough, Delbert J., Benner, C., J. Bayona, G. Richards, et. al. Chemical Composition of Environmental Tobacco Smoke. 1. Gas-Phase Acids and Bases. Environ. Sci. technol. Vol.23, No.6, 1993.
- /340-342. Eatough, Delbert J., F. Caka, J. Crawford, S. Braithwaite, et. al. Environmental Tobacco Smoke in commercial Aircraft. Abstract.
- 1340-343. Edelman, Philip. Sick building Syndroms. Vol.329, No.7.
- /340-344. Editorial: Building Ventilation and Symptoms where Do We Go from here? March 1994, Vol.84, No.3.
- '340-345. Edwards, J.H. and A. Cockcroft. Inhalation challenge in humidifier fever. Clin. Allergy, 1981, Vol.11, pages 227-235.
- 2340-346. Edwards, J.H. Microbial and immunological investigations and remedial action after an outbreak of humidifier fever.

 British J. Indus Med., 1980; 37:55-62.
- "340-347. Edwards, J.W., and B.G. Priestly. Sister chromatid exchanges in lymphocytes of petroleum retailers. British J. Indus. Med. 1993;50:149-154.

- 340-348. Ekwo, Edem E., C. Gosselink, R. Woolson, and A. Moawad. Risks for Premature Rupture of Amniotic Membranes. Intern'l J. Epidemi., Vol.22, Mo.3.
- 340-349. Elias, John D., D. Wylie, A. Yassi and M. Tran. Eliminating Worker Exposure to Ethylene Oxide from Hosptial Sterilizers: An Evaluation of Cost and Effectiveness pf an Isolation System. Appl. Occup. Environ. Eyg. 8(8), Aug. 1993.
- 340-350. Elimination of cotinine from body fluids. [Letters to the Editor]. 8-/67
- 340-351. Eliopoulos, Chrisoula, J. Elein, M. Phan and B. Enie. Mair Concentrations of Micotine and Cotinine in Women and Their Newborn Infants. JANA, Feb. 1994, Vol.271, No.8.
- 340-352. Elliot, L. 1975. Air quality during public gatherings. J. Air Pollut. Control Assoc. 25:635-636.
- 340-353. Emmons, Karen M., D. Abrams, R. Marshall, et. al. An
 Evaluation of the Relationship between Self-Report and
 Biochemical Measures of Environmental Tobacco Smoke Exposure.
 Preventive Med. 23, 35-39 (1994).
- 340-354. Emmons, K., Abrams, D., Marshall, R., Etsel, R., et al. Exposure to environmental tobacco smoke in naturalistic settings. APHA 82(1):24-28.
 - 340-355. England, M., 1987. The haraffes of passive smoke. J. Am.
- 340-356. Environmental Tobacco Smoke. Amer. J. Public Elth, March 1994, Vol.84, Mo.3.
- 340-357. Environmental Protection Agency (EPA). 1992. Respiratory
 Health Effects of Passive Emoking: Lung Cancer and Other
 Disorders. Office of Health and Environmental Assessment,
 Office of Research and Development, and Indoor Air Division,
 Office of Atmospheric and Indoor Air Programs, Office of Air
 and Radiation, Washington, D.C. EPA/600/6-90/006F. December
 1992.
 - 340-358. Environmental Protection Agency (EPA). 1993. Respiratory
 Health Effects of Passive Enoking Fact Sheet Research and
 Development (RD-681).

1 111 1

1

1 1

- of Passive Smoking: Lung Cancer and Other Disorders. 2-3//
- 340-360 Invironmental tobasco smoke and passive smoking. Papers from a symposium. Helsinki, June 9-12, 1987. Mutat. Nes., 222(2) 71-140.
- 340-361. Environmental Tobacco Smoke and Lung Cancer Risk in Monsmoking Women. Peter M. Lee (au). J. Mat'l Cancer Inst., Vol.85, Mc.9, May 1993.
- 340-362. Insensuer, B. 1986. Smoke in the workplace: Cost and sealth consequences (Editorial). Milit. Med. 151(8):463.
- 340-363. Hystein F.H., Coronary heart disease epidemiologic genetics
- 340-364. Eriksen, M., LeMaistre, C., and Newell, G. 1988. Realth hazards of passive smoking. Annu. Rev. Public Health 9:47-70. 8-99
- 340-365. Erikason, M., Karlsson, M. Occupational and other environmental factors and multiple myelena; a population pased case-control study [see comments]. Comment in Er J. Ind. Med. 1992 Mov; 49(11):815-6.
- 340-366. Erkelens, D. Strategy for diagnosis and treatment of hyperlipidemia. Ther Umsch 1990 Jun; 47(6):443-7.
- 340-367. Erefler V. 1967. Passive smoking on commercial airplands [Letter]. New England J. Med. 216(19):962.
- 340-368. Esman, M. 1985. The status of indoor air pollution. Environ. Health Perspect. 62:259-265.
- 340-369. Estimating Human Exposure to Air Pollutants. World Hith Organization. Geneva 1982.
- 340-370. Etsel, Ruth A., R. Greenberg, M. Haley and F. Loda. Clinical and laboratory observations. J. Pediatrics, July 1985.
- 340-371. Risel, R., Pathishall, R., Haley, M., Fletcher, R., et al.
 Passive smoking and middle ear offusion among children in day
 care. Pediatrics 1992 Aug; 90(2 Pt 1):248-32.
- 340-372. Etsel, R.A., Greenberg, R., Haley, M. and Loda, F. Urine dotinine excretion in neonates exposed to tobecoo smoke products in utere. J of Pediatrics.

1 1

- 340-373. Etsel, Ruth A. A Review of the Use of Saliva Cotinine as a Marker of Tobacco Smoke Exposure. Preventive Med. 19, 190-197 (1990).
- 340-374. @Euday,L., Whome, F., Reavner, D., et al. 1986. Studies on the vapor -particulate phase distribution of environmental nicotine by selective trapping and detection methods. Presented at the 79th Annual Meeting of the Air Pollution Control Association. Minneapolis, 14 pp. tune 22-27.
- 340-375. Euler, G., Abbey, D., Magie, A., Modgkin, J. Chronic obstructive pulmonary disease symptom effects of long-term cumulative exposure to ambient levels of total suspended particulates and sulfur dioxide in California Seventh-Day Adventist residents. Arch Environ Health 1987 Jul-Aug; 42(4):213-22.
- 340-376. Euler, G., Abbey, D., Hodgkin, J., Magie, A. Chronic obstructive pulmonary disease symptom effects of long-term cumulative exposure to ambient levels of total oxidents and nitrogen dioxide in California Seventh-Day Adventist residents. Arch. Environ. Health 1988 Jul-Aug; 43(4):279-85.
- 340-377. Everson, R. 1986. Detection of occupational and environmental exposures by bacterial mutagenesis assays of human body fluids. J. Occ. Med. 28(8):647-655.
- 340-378. Everson R., Randerath, E., Santella, R., Cefalo, R., Avitts, T., and Randerath, K. 1986. Detection of spoking related covalent DNA adducts in human placents. Science 231:54-57.
- 340-379. Eyerson, R., Sendler, D., Wilcox, A., Schreinemaghers, D., Shore, D., and Weinberg, C. 1980. Effect of passive exposure to smoking on age at natural memopause. Sr. Med. J. [Clin Mes]. 293(6550):792.
- 340-380. Exposure to unusually high indoor radon levels. Lancet, Vol.341; March 1993. Ex. //- /48
- 340-381. Fahim, H., Abdel Maeboud, K., Ashour, H. el-Makhsangy, M. A study of the epidemiology of pretern labor. J. Egypt Public Health Assoc 1992; 67(3-4):341-55.
- √340-382. Fairbanks, Leland L. The Benefits of Smoke-Free Health Care Campuses. Editorials. Vol.49, Mo.1.

+1.1 \pm

6

63956

64

1 1

ATTACHKENT IX

*\$40-383. Ferent, J.P., D. Greeves and R. Robb. Messurement and Impact of Outdoor Air Supplied to Industdual Office Building Occupants on Indoor Air Quality. Am. Ind. Hyg. Assoc. J. (52) Sept. 1991.

340-384. Federal Service impesses Panel, 380 C street, B.W. weshington, B.C. 2024.

340-385. Federal service Impasses Famel (FSIF). 1990a. Department of the Air Force MacDill Aix Force Base. Florida and Local USS. National Federation of Federal Employees. Case No. 90 FETF 58 (April 27, 1990).

340-386. Federal Service Impeases Fanel (FSIP). 1920b. Department of Veterane Acterane Mealth Services and Research Acteration. Weshington, D.C. and Matiental VA.Council. Assertion of Government Employees, AVI-CIG. Case Meriden Federation of Government Employees, AVI-CIG. Case Mo. 69 FSIP 198. (April 27, 1990).

7340-387. Feichtinger, W. Environmental factors and fertility. Hum Reprod 1991 Sep; 6(8):1170-5.

340-388. Feinleib, M., Rosenberg, H., Collins, Jr., Delosier, J.,
Rokras, R., and Chevarley, F. 1989. Treads in corn
activity and morrelity in the Dalted States. Am. Rev. Resp.
Lis. 140:89-gid.

340-389. Feldman, H. Brain, J., Harbison, M. Adjusting for confounded variables: pulmonsty function and smoking in a special population Environ Res. 1987 Jun; 43(1):251-66:

340-390. Werris, B. Jr., Ware, J., Berkey, C., Dockery, D., Spiro, 4.0-390. Mersich of children. Environ Health Perspect. 621289-295.

340-391. Peyerabend, C. and Bryant, A. 1987. Determination of cetinine in physiclogical truids by gas chromatography. IARC Scientific Publications so. 81, Volume 9. Passive Smoking., Pp. 209-316.

340-392. Feyerabend C., Bryant, A., Garvis, M., Russell, M.
Determination of cotining in biological fluids of non-smokers
by packed column gas-liquid chromatography. J. Pharm.
Pharmacol 1986. Dec; 38(12):917-9.

340-393. Feyerabend G., Higenbottam, T., and Russell, M. 1982.
Micotine concentrations th arine and saliva of smokers and
monsmokers. Br. Med J. 284:1008-1004.